

L Number	Hits	Search Text	DB	Time stamp
-	13997	fault with toleran\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 08:57
-	1183	(fault with toleran\$6) with (server or headend)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:57
-	27	((fault with toleran\$6) with (server or headend)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:07
-	55	725/147.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:04
-	12	725/147.ccls. and (fail\$6 or fault)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:06
-	14097	(spare or backup) with (fault or fail\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:30
-	1	725/147.ccls. and ((spare or backup) with (fault or fail\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:06
-	97	((spare or backup) with (fault or fail\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:32
-	74771	(spare or backup or fault or fail\$4 or redundan\$6) with (transmi\$6 or transceiv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:32
-	597	((spare or backup or fault or fail\$4 or redundan\$6) with (transmi\$6 or transceiv\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:33
-	10129	(spare or backup or fault or fail\$4 or redundan\$6) with (transmitter\$2 or transceiver\$4 or xceiver\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:33
-	88	((spare or backup or fault or fail\$4 or redundan\$6) with (transmitter\$2 or transceiver\$4 or xceiver\$2)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:33

-	2000162	(backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:52
-	395159	((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) same (select\$4 or switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:17
-	2181	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) same (select\$4 or switch\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:49
-	316578	(backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:50
-	81295	((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) same (select\$4 or switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:28
-	479	((((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) same (select\$4 or switch\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:17
-	50835	((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) with (select\$4 or switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:28
-	249	((((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) with (select\$4 or switch\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:35
-	48	725/\$.ccls. and 714/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:35
-	12951	( (fault adj toleran\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:48
-	86	(( (fault adj toleran\$4))) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:48
-	247243	(backup or redundan\$4 or (fault adj toleran\$4) or spare)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:50

-	1283	((backup or redundan\$4 or (fault adj toleran\$4) or spare)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:50
-	301	((((backup or redundan\$4 or (fault adj toleran\$4) or spare)) and 725/\$.ccls.) and headend	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:50
-	17	((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) same (headend) same (part\$2 or element\$2) same (switch\$4 or select\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:55
-	14	((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (component\$2 or circuit\$2 or part\$2 or element\$2) same (switch\$4 or select\$4) same headend	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:04
-	73	((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (component\$2 or circuit\$2 or part\$2 or element\$2) same headend	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:05
-	1	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (component\$2 or circuit\$2 or part\$2 or element\$2) same headend) and 714/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:19
-	43	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (component\$2 or circuit\$2 or part\$2 or element\$2) same headend) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:12
-	22	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (device) same headend) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:29
-	20	((((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) with (device) same headend)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:17
-	9	(((((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) with (device) same headend)) not (((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (device) same headend) and 725/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:16
-	35	((((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) with (device or circuit or component or element) same headend)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:19
-	24	(((((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) with (device or circuit or component or element) same headend)) not (((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (device) same headend) and 725/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:17

-	15	(((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) with (device or circuit or component or element) same headend)) not (((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (device) same headend) and 725/\$.ccls.)) not (((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) with (device) same headend)) not (((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (device) same headend) and 725/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:18
-	6	(((slave)) with (device or circuit or component or element) same headend)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:20
-	331	(((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) same headend) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:24
-	198	(((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) same headend) and 725/\$.ccls.) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:40
-	83	(((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) same headend) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:24
-	60	(((backup or redundan\$4 or (fault adj toleran\$4) or spare or standby)) same headend) and 725/\$.ccls.) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:41
-	2	("5781246").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 17:41
-	4576	(((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby))) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:35
-	2000162	(backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:37
-	1369343	transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:10
-	53863	((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:37
-	8772	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:16

-	837	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:18
-	547	(((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2)) and 725/\$.ccls.) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:49
-	40	(((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby)) with (transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2)) and 725/\$.ccls.) and @ay<2001)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:19
-	70729	slave	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:37
-	6498	slave with (transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:37
-	62	(slave with (transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:38
-	1616	ADC.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:42
-	24	ADC.as. and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:15
-	179	725/135.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:56
-	198	725/136.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:56
-	59	725/137.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:56
-	82	725/138.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:56

-	8780	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:17
-	6080	cascad\$4 with switch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:04
-	7	725/\$.ccls. and (cascad\$4 with switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:15
-	185404	((replac\$6)) same (select\$4 or switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:21
-	957	725/\$.ccls. and (((replac\$6)) same (select\$4 or switch\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:21
-	15281055	transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:20
-	91671	((replac\$6)) with (select\$4 or switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:21
-	86043	(transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2) and (((replac\$6)) with (select\$4 or switch\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:58
-	29361	(transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2) with (((replac\$6)) with (select\$4 or switch\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:02
-	6	((transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2) with (((replac\$6)) with (select\$4 or switch\$4))) same headend	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:03
-	104535	cascad\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:04
-	36331	(transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2) with cascad\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:10

-	65	((transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2) with casc\$4) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:10
-	2	((((transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2) with casc\$4) same (error or malfunction\$6 or damag\$6)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:11
-	1447	((transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2) with casc\$4) same (error or malfunction\$6 or damag\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:13
-	638	((transmitter\$2 or receiver\$2 or transceiver\$2 or driver\$2 or repeater\$2 or terminator\$2 or modem\$2 or device\$2 or element\$2 or component\$2 or circuit\$2 or part\$2) with casc\$4) with (error or malfunction\$6 or damag\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:15
-	4	725/\$.ccls. and (fail adj over)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:27
-	1680	fail adj over	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:27
-	5	(fail adj over) and headend	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:28
-	239	725/93.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:29
-	175	725/92.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:28
-	2002243	(backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:11
-	166	725/93.ccls. and ((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:33
-	127	725/92.ccls. and ((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:32

-	137	725/\$.ccls. and RAID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:32
-	6516	((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over)) and RAID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:33
-	125	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over)) and RAID) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:16
-	2497	370/216-228.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:11
-	10	370/216-228.ccls. and headend	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:38
-	1750	((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over)) and 370/216-228.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:11
-	332	370/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:11
-	269	((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over)) and 370/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:11
-	200	370/218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 08:57
-	6085	cascad\$6 with switch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 08:58
-	4	370/217.ccls. and (cascad\$6 with switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 08:58
-	5	370/218.ccls. and (cascad\$6 with switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 08:58



-	11	370/218.ccls. and 370/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:26
-	333	370/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:30
-	8793	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:40
-	540	"N+1" with redundan\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:22
-	2	725/\$.ccls. and ("N+1" with redundan\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:40
-	4680	redundan\$6 with (switching)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:40
-	30	725/\$.ccls. and (redundan\$6 with (switching))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 12:41
-	46	(modular) with (switch\$4) with (reason\$4 or benefit\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:20
-	197	(modular) with (switch\$4) with (advantag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:21
-	0	((modular) with (switch\$4) with (advantag\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:21
-	0	((modular) with (switch\$4) with (advantag\$4)) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:21
-	22	((modular) with (switch\$4) with (advantag\$4)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:21

-	1263	(spare or backup) with (fault or damage or error) with (detect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:29
-	6	((spare or backup) with (fault or damage or error) with (detect\$6)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:30
-	86	((spare or backup) with (fault or damage or error) with (detect\$6)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:55
-	1057	(hot adj (backup or standby)) or (hot\$1standby) or hot\$1backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 17:08
-	11	((hot adj (backup or standby)) or (hot\$1standby) or hot\$1backup) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:56
-	184	((hot adj (backup or standby)) or (hot\$1standby) or hot\$1backup) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:58
-	327	((hot adj (backup or standby)) or (hot\$1standby) or hot\$1backup) and ((fault or error or damage) with (detect\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 17:10
-	91	((hot adj (backup or standby)) or (hot\$1standby) or hot\$1backup) and ((fault or error or damage) with (detect\$6))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:10
-	140	725/115.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 17:31
-	323	725/116.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 17:31
-	83	((hot adj (backup or standby)) or (hot\$1standby) or hot\$1backup) and ((fault or error or damage) with (detect\$6))) and 714/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:11
-	1	((hot adj (backup or standby)) or (hot\$1standby) or hot\$1backup) and ((fault or error or damage) with (detect\$6))) and 714/\$.ccls.) and headend	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:12

-	43227	714/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:12
-	303	714/1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:12
-	13841	714/1-57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:15
-	48	714/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:15
-	13877	714/1-57.ccls. or 714/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:15
-	18966	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over)))) and 714/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:17
-	2004747	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:21
-	8459	(((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over)))) and (714/1-57.ccls. or 714/100.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:17
-	279	(((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or fail adj over)))) and (714/1-57.ccls. or 714/100.ccls.)) and (cascad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:21
-	8183	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or (fail adj over) or switch\$4))) with (cascad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:34
-	51	(((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or (fail adj over) or switch\$4))) with (cascad\$4)) and (714/1-57.ccls. or 714/100.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:22
-	104518	((((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or (fail adj over) or switch\$4))) with (shift\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:34

-	231	(((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or (fail adj over) or switch\$4))) with (shift\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:35
-	2220	(((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or (fail adj over) or switch\$4))) with (shift\$4)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:35
-	562	(((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or (fail adj over) or switch\$4))) with (cascad\$4)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:35
-	17	(((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or (fail adj over) or switch\$4))) with (cascad\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:35
-	464	(((backup or redundan\$4 or alternat\$4 or (fault adj toleran\$4) or spare or standby or (fail adj over) or switch\$4))) with (shift\$4)) and (714/1-57.ccls. or 714/100.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/02 11:35